



according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

AquaActiv OxyPlus 500 ml

Further trade names

Product code: 50559, 43153, 51460

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water treatment chemicals.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: OASE GmbH

Street: Tecklenburger Straße 161

Place: D-48477 Hörstel Telephone: +49 (5454) 800

e-mail: info@oase-livingwater.com

Contact person: Markus Dreyer; Forschung und Telephone: +49 (5454) 80450

Entwicklung

e-mail: m.dreyer@oase-livingwater.com Internet: www.oase-livingwater.com

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Telefax: +49 (5454) 8090

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

<u>1.4. Emergency telephone</u> Beratungsstelle für Vergiftungserscheinung in Berlin: +49 (30) - 30686 790

<u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

disodium carbonate, compound with hydrogen peroxide (2:3)

Signal word: Danger

Pictograms:



Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.





according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 2 of 10

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
15630-89-4	disodium carbonate, compound with hydrogen peroxide (2:3)			10 - 25 %	
	239-707-6		01-2119457268-30		
	Ox. Sol. 3, Acute Tox. 4, Eye Dam. 1; H272 H302 H318				
497-19-8	sodium carbonate			5 - 10 %	
	207-838-8	011-005-00-2	01-2119485498-19		
	Eye Irrit. 2; H319				

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, consult a physician.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures



OASE GmbH

according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 3 of 10

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Knock down dust with water spray jet.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Do not breathe dust. Avoid contact with skin, eyes and clothes.

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

The product itself is not combustible, it is however slightly oxidizing.

Usual measures for fire prevention.

Keep/Store away from combustible materials.

Further information on handling

Avoid contact with skin, eyes and clothes.

Avoid generation of dust.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep container dry.

Suitable material for Container: PE, PP, PVC

Unsuitable materials for Container: metal.

Keep/Store only in original container.



OASE GmbH

according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 4 of 10

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 5-30°C; Do not store at temperatures over: 45°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Dust should be exhausted directly at the point of origin.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Remove contaminated clothing immediatley and dispose off safely.

Eye/face protection

Dust protection goggles.

Hand protection

In case of prolonged or frequently repeated skin contact:

Pull-over gloves of rubber. DIN EN 374

Suitable material:

(penetration time (maximum wearing period): >= 8h)

Butyl rubber.

CR (polychloroprenes, Chloroprene rubber).

NBR (Nitrile rubber).

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

exceeding exposure limit values

Generation/formation of dust

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). - Type: P2/P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Do not empty into drains.





according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 5 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Powder
Colour: white
Odour: odourless

Test method

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

not determined

Explosive properties

none

Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: not determined Decomposition temperature: not determined Vapour pressure: not determined Density: not determined Bulk density: not determined Water solubility: miscible. Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined

9.2. Other information

Solid content: 100%

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Temperature of decomposition in $^{\circ}C$: >50

remperature of decomposition in C. >

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: Light. UV-radiation/sunlight. heat. Cold. moisture.





according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 6 of 10

10.5. Incompatible materials

Materials to avoid: Strong acid. Oxidizing agents, strong. Alkalis (alkalis), concentrated. amines. Reducing agents, strong. metal. Combustible substance.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
15630-89-4	disodium carbonate, compound with hydrogen peroxide (2:3)						
	oral	LD50 mg/kg	893	Rat. female.	ECHA Dossier		
	dermal	LD50 mg/kg	>2000	Rabbit.	ECHA Dossier		
497-19-8	sodium carbonate						
	oral	LD50 mg/kg	2800	Rat	ECHA Dossier		
	dermal	LD50 mg/kg	> 2000	Rabbit.	ECHA Dossier		

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

sodium carbonate (CAS-No.: 497-19-8):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

Developmental toxicity/teratogenicity:

Exposure time: 15d Species: Wistar Rat Method: other guideline

Result: NOAEL >= 245 mg/kg bw/day (maternal toxicity) Result: NOAEL >= 245 mg/kg bw/day (teratogenicity)

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 7 of 10

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
15630-89-4	disodium carbonate, compound with hydrogen peroxide (2:3)						
	Acute fish toxicity	LC50 mg/l	70,7	96 h	Pimephales promelas	ECHA Dossier	
	Acute crustacea toxicity	EC50	4,9 mg/l	48 h	Daphnia pulex	ECHA Dossier	
497-19-8	sodium carbonate						
	Acute fish toxicity	LC50	300 mg/l	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute crustacea toxicity	EC50 227 mg/l	200 -	48 h	Ceriodaphnia sp.	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

Waste disposal number of used product

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.





according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 8 of 10

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.





according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 9 of 10

SECTION 16: Other information

Changes

Rev. 1,00; 08.02.2014, Initial release

Rev. 1,1; 25.10.2016, Changes in chapter: 1, 2, 3, 4, 5, 6, 7, 8, 9, 0, 11, 12, 13, 14, 15, 16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



OASE GmbH

according to Regulation (EC) No 1907/2006

AquaActiv OxyPlus 500 ml

Revision date: 25.10.2016 Product code: Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)