OASE GmbH



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

AquaActiv AlGo Universal

#### Further trade names

Product code: 51265, 50542, 50545, 43137, 51466

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water treatment chemicals.

Biocidal products (e.g. Disinfectants, pest control)

## Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: OASE GmbH

Street: Tecklenburger Straße 161

Place: D-48477 Hörstel

Telephone: +49 (5454) 800 Telefax: +49 (5454) 8090

e-mail: info@oase-livingwater.com

Contact person: Markus Dreyer; Forschung und Telephone: +49 (5454) 80450

Entwicklung

e-mail: m.dreyer@oase-livingwater.com Internet: www.oase-livingwater.com

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone** Beratungsstelle für Vergiftungserscheinung in Berlin: +49 (30) - 30686 790

number:

# SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

# Regulation (EC) No. 1272/2008

## **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P501 Dispose of contents/container to local/regional/national/international regulations.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures





according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 2 of 9

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1746-81-2	Monolinuron (ISO); 3-(4-chlorophenyl)-1-methoxy-1-methylurea			< 1 %
	217-129-5	006-032-00-1		
	Acute Tox. 4, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H373 H400 H410			

Full text of H and EUH statements: see section 16.

### Labelling for contents according to Regulation (EC) No 648/2004

perfumes.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO2). Carbon dioxide. Hydrogen chloride (HCI). Nitrogen oxides (NOx).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



OASE GmbH

according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 3 of 9

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not empty into drains. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Wear personal protection equipment (refer to section 8).

The usual precautions for handling chemicals should be considered.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

### Further information on handling

General protection and hygiene measures: refer to chapter 8

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

# Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

#### 7.3. Specific end use(s)

refer to chapter 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters





according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 4 of 9

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
57-55-6	Propane-1,2-diol, total vapour and particulates	150	474		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

### 8.2. Exposure controls

### Appropriate engineering controls

No special measures are necessary.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

## Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

## Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Suitable protective clothing: Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at: exceeding exposure limit values

Suitable respiratory protection apparatus: gas filtering equipment (EN 141). - Type A

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### **Environmental exposure controls**

This material and its container must be disposed of in a safe way.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: green
Odour: characteristic





according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 5 of 9

Test method

pH-Value: 9,5

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

Sustaining combustion:

Not determined sustaining combustion:

**Explosive properties** 

none

Lower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:not determinedDecomposition temperature:not determined

**Oxidizing properties** 

none

Vapour pressure: not determined Density: 1,018 g/cm<sup>3</sup> Water solubility: completely miscible Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined Evaporation rate: not determined Solvent content: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No information available.

## 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

## 10.5. Incompatible materials

Materials to avoid: Reducing agent. Oxidizing agents. Strong acid. strong alkalis.



according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 6 of 9

## 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon dioxide (CO2). Carbon dioxide. Hydrogen chloride (HCI). Nitrogen oxides (NOx).

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1746-81-2	Monolinuron (ISO); 3-(4-chlorophenyl)-1-methoxy-1-methylurea					
	oral	LD50 1800 mg/kg	Rat	ChemID		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

No data available.

### Sensitising effects

Based on available data, the classification criteria are not met. No data available.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No data available.

## STOT-single exposure

Based on available data, the classification criteria are not met.

No data available.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

No data available.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

No data available.

### Specific effects in experiment on an animal

No data available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1746-81-2	Monolinuron (ISO); 3-(4-chlorophenyl)-1-methoxy-1-methylurea						
	Acute fish toxicity	LC50	3,1 mg/l	96 h	Salmo Gairdneri	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,56		Daphnia magna	MSDS external	

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

	AquaActiv AlGo Universal	
Revision date: 31.01.2017	Product code:	Page 7 of 9

### **BCF**

CAS No	Chemical name	BCF	Species	Source
	Monolinuron (ISO); 3- (4-chlorophenyl)-1-methoxy-1-methylur ea	<20		

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### **Further information**

Do not empty into drains.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

## Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

### Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

## Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)





according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 8 of 9

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**Additional information** 

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture):: 3

**National regulatory information** 

Water contaminating class (D): 2 - water contaminating

Biocide registry number: N-42703

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

## Changes

Rev. 1.0; 07.02.2014, Initial release

Rev. 1,1; 18.10.2016, Changes in chapter: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals



OASE GmbH

according to Regulation (EC) No 1907/2006

## **AquaActiv AlGo Universal**

Revision date: 31.01.2017 Product code: Page 9 of 9

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)