



according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

UniFix +

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants

#### Uses advised against

any non-intended use.

# 1.3. Details of the supplier of the safety data sheet

Company name: OASE GmbH

Street: Tecklenburger Straße 161

Place: D-48477 Hörstel

Telephone: +49 (5454) 800 Telefax: +49 (5454) 8090

e-mail: info@oase-livingwater.com

Contact person: Markus Dreyer; Forschung und Telephone: +49 (5454) 80450

Entwicklung

e-mail: m.dreyer@oase-livingwater.com Internet: www.oase-livingwater.com

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone** Beratungsstelle für Vergiftungserscheinung in Berlin: +49 (30) - 30686 790

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

Regulation (EC) No. 1272/2008

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures





according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 2 of 11

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
2768-02-7	trimethoxyvinylsilane			1 - <3 %
	220-449-8		01-2119513215-52	
	Flam. Liq. 3, Acute Tox. 4; H226 H332			

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO), Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal vapours.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.



OASE GmbH

according to Regulation (EC) No 1907/2006

#### UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 3 of 11

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

Use personal protection equipment. (See section 8.)

The usual precautions for handling chemicals should be considered.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Further information on handling

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and feedingstuffs.

# Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15-25°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

### 7.3. Specific end use(s)

refer to chapter 1.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters





according to Regulation (EC) No 1907/2006

#### UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 4 of 11

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
2768-02-7	trimethoxyvinylsilane					
Worker DNEL,	long-term	inhalation	systemic	4,9 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,69 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	1,04 mg/m³		
Consumer DNEL, acute		inhalation	systemic	93,4 mg/m³		
Consumer DNEL, long-term		dermal	systemic	0,3 mg/kg bw/day		
Consumer DN	EL, acute	dermal	systemic	26,9 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	0,3 mg/kg bw/day		

#### **PNEC values**

CAS No	Substance			
Environmental compartment Value				
2768-02-7	2768-02-7 trimethoxyvinylsilane			
Freshwater		0,34 mg/l		
Freshwater (intermittent releases) 3,4 mg/l				
Marine water		0,034 mg/l		
Marine water (intermittent releases)		3,4 mg/l		
Freshwater sediment		1,24 mg/kg		
Marine sediment		0,124 mg/kg		
Micro-organisms in sewage treatment plants (STP)		110 mg/l		
Soil		0,052 mg/kg		

### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

### **Hand protection**

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves. Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h





according to Regulation (EC) No 1907/2006

#### UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 5 of 11

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Protective clothing

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

### **Environmental exposure controls**

No special precautionary measures are necessary.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: characteristic
Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

Sustaining combustion:

Not sustaining combustion

not determined
not determined
not determined
Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:not determinedDecomposition temperature:not determined

**Oxidizing properties** 

none

not determined Vapour pressure: Density (at 20 °C): 1,6 g/cm3 Water solubility: insoluble Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined not determined Vapour density:





according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 6 of 11

Evaporation rate: not determined Solvent content: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

# 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide (CO), Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal vapours.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Toxicocinetics, metabolism and distribution

No data available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

No data available.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
2768-02-7	trimethoxyvinylsilane					
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rabbit	ECHA Dossier	
	inhalative (4 h) vapour	LC50	16,8 mg/l	Rat	ECHA Dossier	
	inhalative aerosol	ATE	1,5 mg/l			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

No data available.

#### Sensitising effects

Based on available data, the classification criteria are not met.

No data available.

### Carcinogenic/mutagenic/toxic effects for reproduction





according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 7 of 11

Based on available data, the classification criteria are not met.

trimethoxyvinylsilane (CAS No. 2768-02-7):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Reproductive toxicity::

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

Developmental Toxicity Screening Test)

Species: Rat Exposure time: 28d

Test results: NOAEL = 1000 mg/kg (Rat) Developmental toxicity/teratogenicity:

Method: EPA OTS 798.4350 (Inhalation Developmental Toxicity Screen)

Species: Rat Exposure time: 21d

Test results: NOAEL = 100 ppm (Rat) literature infomation: ECHA Dossier

### STOT-single exposure

Based on available data, the classification criteria are not met.

No data available.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

trimethoxyvinylsilane (CAS No. 2768-02-7):

Subacute oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

Developmental Toxicity Screening Test)

Species: Rat Exposure time: 28d

Test results: NOAEL = <62,5 mg/kg Subchronic inhalation toxicity:

Method: -Species: Rat Exposure time: 90d

Test results: NOAEC = 10 ppm literature infomation: ECHA Dossier

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

No data available.

# Specific effects in experiment on an animal

No data available.

### **SECTION 12: Ecological information**

# **12.1. Toxicity**

The product has not been tested.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source		
2768-02-7	trimethoxyvinylsilane	trimethoxyvinylsilane						
	Acute fish toxicity	LC50	191 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier		
	Acute algae toxicity	ErC50	210 mg/l		Pseudokirchnerella subcapitata	ECHA Dossier		
	Acute crustacea toxicity	EC50	168,7 mg/l	48 h	Daphnia magna	ECHA Dossier		

### 12.2. Persistence and degradability

trimethoxyvinylsilane:





according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 8 of 11

Half-life time: < 2.4 Stdn; pH = 7 (Water, OECD 111)

literature infomation: MSDS external

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
2768-02-7	trimethoxyvinylsilane						
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	51%	28	ECHA Dossier			
	Not readily biodegradable (according to OECD criteria)			-			

#### 12.3. Bioaccumulative potential

trimethoxyvinylsilane:

Log KOC: -2 (20 °C, QSAR, Method: KOWWIN)

literature infomation: MSDS external

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2768-02-7	trimethoxyvinylsilane	-2

#### 12.4. Mobility in soil

trimethoxyvinylsilane:

Henry's Law Constant: 8.72E-5 atm m³/mol (25 °C)

literature infomation: MSDS external

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available.

# **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

# Waste disposal number of waste from residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

### Waste disposal number of used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

# Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging





according to Regulation (EC) No 1907/2006

#### UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 9 of 11

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

#### Inland waterways transport (ADN)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

### Marine transport (IMDG)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

refer to chapter 6-8

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

2010/75/EU (VOC): < 2.61 % 2004/42/EC (VOC): < 41.78 g/l

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII: not relevant

### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.





according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 10 of 11

#### **SECTION 16: Other information**

#### Changes

Rev. 1.0; 19.02.2014, Initial release

Rev. 1,1; 17.10.2016, Changes in chapter: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### Relevant H and EUH statements (number and full text)

Flammable liquid and vapour. H226

H332 Harmful if inhaled.

EUH210 Safety data sheet available on request.

#### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data, and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



OASE GmbH

according to Regulation (EC) No 1907/2006

UniFix +

Revision date: 17.10.2016 Product code: 57148 Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)