

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PhosLess Power Flow 3000

Revision date: 28.10.2016

Product code: 48791

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

PhosLess Power Flow 3000

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Water treatment chemicals.

###### Uses advised against

any non-intended use.

##### 1.3. Details of the supplier of the safety data sheet

Company name:	OASE GmbH	
Street:	Tecklenburger Straße 161	
Place:	D-48477 Hörstel	
Telephone:	+49 (5454) 800	Telefax: +49 (5454) 8090
e-mail:	info@oase-livingwater.com	
Contact person:	Markus Dreyer; Forschung und Entwicklung	Telephone: +49 (5454) 80450
e-mail:	m.dreyer@oase-livingwater.com	
Internet:	www.oase-livingwater.com	
Responsible Department:	Dr. Gans-Eichler Chemieberatung GmbH Raesfeldstr. 22 D-48149 Münster	e-mail: info@tge-consult.de Tel.: +49 (0)251/924520-60 www.tge-consult.de

##### 1.4. Emergency telephone number:

Beratungsstelle für Vergiftungserscheinung in Berlin: +49 (30) - 30686 790

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

##### 2.2. Label elements

###### Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

##### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

###### Chemical characterization

The components are not hazardous or are below required disclosure limits.

###### Further Information

Product does not contain listed SVHC substances &gt; 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PhosLess Power Flow 3000

Revision date: 28.10.2016

Product code: 48791

Page 2 of 8

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of damaged container/material emission: In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

In case of damaged container/material emission: Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of damaged container/material emission: Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

In case of damaged container/material emission: Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. alcohol resistant foam. Atomized water.

##### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

In case of damaged container/material emission:  
Avoid dust formation.  
Do not breathe dust.  
Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically.  
Treat the recovered material as prescribed in the section on waste disposal.  
Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PhosLess Power Flow 3000

Revision date: 28.10.2016

Product code: 48791

Page 3 of 8

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear personal protection equipment (refer to section 8).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

In case of damaged container/material emission: Dust clouds may present an explosion hazard.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and feedingstuffs.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

### 7.3. Specific end use(s)

refer to chapter 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

No special measures are necessary.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

#### Eye/face protection

In case of damaged container/material emission: Dust protection goggles.

#### Hand protection

In case of damaged container/material emission:

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PhosLess Power Flow 3000

Revision date: 28.10.2016

Product code: 48791

Page 4 of 8

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

In case of damaged container/material emission:

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

In case of damaged container/material emission:

Respiratory protection necessary at:

exceeding exposure limit values

Generation/formation of dust

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). - Type : P2/3

Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo.

Full-face mask or mouthpiece with particulate filter: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit. P3 filter: up to a max. of

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### Environmental exposure controls

No special precautionary measures are necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	not determined
Odour:	not determined

#### Test method

pH-Value:	not determined
-----------	----------------

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
:	not determined
Sustaining combustion:	No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**PhosLess Power Flow 3000**

Revision date: 28.10.2016

Product code: 48791

Page 5 of 8

**Explosive properties**

none

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined
Decomposition temperature:	not determined

**Oxidizing properties**

none

Vapour pressure:	not determined
Density:	not determined
Water solubility:	not determined
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

Solid content:	not determined
----------------	----------------

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No information available.

**10.4. Conditions to avoid**

Protect against: UV-radiation/sunlight. heat.

**10.5. Incompatible materials**

Materials to avoid: Oxidizing agents, strong. Strong acid. Strong alkali

**10.6. Hazardous decomposition products**Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No data available.

**Acute toxicity**

No data available.

**Irritation and corrosivity**

No data available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### PhosLess Power Flow 3000

Revision date: 28.10.2016

Product code: 48791

Page 6 of 8

**Sensitising effects**

No data available.

**Carcinogenic/mutagenic/toxic effects for reproduction**

No data available.

**STOT-single exposure**

No data available.

**STOT-repeated exposure**

No data available.

**Aspiration hazard**

No data available.

**Specific effects in experiment on an animal**

No data available.

## SECTION 12: Ecological information

**12.1. Toxicity**

No data available.

**12.2. Persistence and degradability**

No data available.

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods****Advice on disposal**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

**Waste disposal number of waste from residues/unused products**

200199 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); other fractions not otherwise specified

**Waste disposal number of used product**

200199 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); other fractions not otherwise specified

**Waste disposal number of contaminated packaging**

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**PhosLess Power Flow 3000**

Revision date: 28.10.2016

Product code: 48791

Page 7 of 8

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted
<b>14.3. Transport hazard class(es):</b>	Not restricted
<b>14.4. Packing group:</b>	Not restricted

**Inland waterways transport (ADN)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted
<b>14.3. Transport hazard class(es):</b>	Not restricted
<b>14.4. Packing group:</b>	Not restricted

**Marine transport (IMDG)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted
<b>14.3. Transport hazard class(es):</b>	Not restricted
<b>14.4. Packing group:</b>	Not restricted

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted
<b>14.3. Transport hazard class(es):</b>	Not restricted
<b>14.4. Packing group:</b>	Not restricted

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Not restricted

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not restricted

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].  
REACH 1907/2006 Appendix XVII, No (mixture): not relevant**National regulatory information**

Water contaminating class (D): -- not water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Rev. 1.0; 28.10.2016; Initial release

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**PhosLess Power Flow 3000**

Revision date: 28.10.2016

Product code: 48791

Page 8 of 8

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OSHA: Concerning the International Transport of Dangerous Goods by Rail )  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SARA: Superfund Amendments and Reauthorization Act  
SVHC: substance of very high concern  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*